SIEMENS 3923



 $Climatix^{\mathsf{TM}}$

Climatix extension module 8 I/Os

POL945.00/XXX


The POL945.00/XXX extension module extends the I/O numbers of Climatix 600 Controllers. It is part of the Climatix product range (refer to Data Sheet 3900 and Mounting Instruction M3910).

The extension module offers the following features:

- Power supply AC 24 V or DC 24 V
- 4 analog inputs (configurable as digital inputs separately)
- · 4 relay outputs
- Peripheral bus interface for local/remote extension I/Os

Climatix product range

Installation concept



Disposal



The devices are considered electronics devices for disposal in term of European Directive 2012/19/EU and may not be disposed of as domestic waste.


- Dispose of the device via the channels provided for this purpose.
- Comply with all local and currently applicable laws and regulations.

Technical data

Power supply	Operating voltage	AC 24 V ± 20%; DC 24 V ± 10%
	Frequency	4565 Hz
	Max. AC-Current consumption	0.26 A at AC 24 V
	Max. DC-Current consumption	0.125 A at DC 24 V
	Connection	Peripheral bus
Power distribution	Max. pass through current	3.74 A at AC 24V
		3.875 A at DC 24 V
Analog inputs	0/1 digital signal (binary)	For potential-free contacts
X1X4 (T1)	Sampling voltage/current	DC 24 V / 8 mA
	Contact resistance	Max. 200 Ω (closed)
		Min. 50 kΩ (open)
	Delay	10 ms
	Pulse frequency	Max. 30 Hz
	S1	S2 0000000
	E S	Donnecting floating contacts

NTC 10k (B _{25/85} = 3977 K)		
Sensor current	60 μA at 25 °C	
Temperature	Accuracy	Resolution
-50 °C	2.5 K	0.6 K
-40 °C	1.4 K	0.4 K
-30 °C	0.9 K	0.2 K
-10 °C	0.5 K	0.1 K
50 °C	0.7 K	0.2 K
70 °C	1.3 K	0.4 K
90 °C	2.5 K	0.7 K
100 °C	3.4 K	0.9 K

NTC 100k (B _{25/85} = 3977 K)		
Sensor current	15 μA at 25 °C	
Temperature	Accuracy	Resolution
0 °C	1.8 K	0.5 K
10 °C	1.2 K	0.3 K
30 °C	0.7 K	0.2 K
70 °C	0.5 K	0.2 K
110 °C	0.8 K	0.2 K
120 °C	1.0 K	0.3 K
140 °C	1.5 K	0.4 K
150 °C	1.9 K	0.5 K




Connecting thermistor to analog input

X3, X4 (T1)

DC 0...5 V input for ratiometric sensors

Resolution 10 mV 50 mV Accuracy at 0 V Accuracy at 5 V 100 mV Input resistance $100 \text{ k}\Omega$



Connecting ratiometric sensor to analog input

Relay outputs Q1...Q4 (T2, T3) Relay: type, contact Contact rating

Switching voltage

Nominal current (res./ind.)

Switching current at AC 19 V

Monostable, NO contact

AC 24 V...230 V

Max. AC 3 A/2 A (cosφ 0.6)


Min. AC 30 mA



Warning

Do not mix SELV/PELV and line voltage on the same terminal. Use external protection

for inductive load.



Connecting control-lamps to relay output

Powering sensors	Output				
. oneg concere	Voltage/current	DC 5 V ± 2.5% / 20 mA			
	Reference potential	Terminals ¹			
	Connection	Short-circuit-proof			
Connection terminals	Optional plugs for IO signals	Phoenix FKCVW 2,5 / x-ST			
Connection terminals	Optional plugs for 10 signals	Phoenix FKCT 2,5 / x-ST			
		Phoenix MVSTBW 2,5 / x-ST			
	Solid wire	0.52.5 mm ²			
	Stranded wire (twisted and with ferru				
	Cable lengths	In compliance with load, local regulations			
	Cable lengths	and installation documents			
Peripheral bus	Power supply	Ueff = AC 24 V ± 20%, fmain = 4565 Hz			
•	,,,	or U = DC 24 V \pm 10%, no internal fuse			
	Bus termination selectable	$(680\Omega / 120\Omega + 1nF / 680\Omega)$			
	Solid wire	0.21.0 mm ²			
	Stranded wire (twisted and with ferru				
	Cable lengths	Max. 30 m			
	Addressing	DIP Switch 15			
	Termination	DIP Switch 6			
	remination	Dii Switch o			
Environmental	Operation	IEC 60721-3-3 class 3K5			
conditions	Temperature	-4070 °C			
	Humidity	<90% r.h. (non-condensing)			
	Air pressure	Min. 700 hPa, corresponding to			
		Max. 3,000 m above sea level			
	Transport	IEC 60721-3-2 class 2K3/2K4			
	Temperature	-4070°C			
	Humidity	<95% r.h. (non-condensing)			
	Air pressure	Min. 260 hPa, corresponding to			
	·	Max. 10,000 m above sea level			
Protection	Degree of protection	IP20 (EN 60529)			
	Safety class	For use in plants with safety class II			
Standards	Product standard	EN 60730-1			
		Automatic electrical controls for household			
		and similar use			
	Electromagnetic compatibility	For use in residential, commerce, light-			
	(applications)	industrial and industrial environments.			
	EU conformity (CE)	CB1T3920xx *)			
	RCM conformity (EMC)	CB1T3909en_C1			
	Listings	UL916, UL873 http://database.ul.com/			
	-	CSA Class 4812			
		http://www.csagroup.org			
Environmental	The product environmental declaration	on CB1E3920en contains data on			
compatibility	environmentally compatible product design and assessments (RoHS compliance,				
, ,	materials composition, packaging, environmental benefit, disposal).				
	*) The document can be downloaded	from http://siemens.com/bt/download.			
General data	Dimensions of controller 72	2 x 110 x 75 mm			
	Weight excl. packaging 14	5 g			
		5/8			

Base plastic, pigeon-blue RAL 5014 Housing plastic, light-grey RAL 7035

Status of LEDs

The status of BSP LED is defined as follows:


Status	Meaning		
Red flashing at 2Hz	BSP error or slave address error		
Green on	BSP running		

The status of BUS LED is defined as follows:

Status	Meaning
Red on	Communication error
Green on	Communication running
Green on and Red on (Yellow)	Communication running but parameter not configured successfully

DIP switch

The extension module is equipped with DIP switch to communicate with the controller. Switch 1, 2, 3, 4, and 5 are configurable to set the slave address, while switch 6 serves as peripheral bus termination. If the extension module works as the termination in the network, switch 6 must be set to ON.



The order of bit is from 5 to 1. The lowest bit is 5 while the highest bit is 1. Max. 31 slave addresses can be configured as follows:

	DIP Switch configuration of Extension Module						
No.	Schematics	No.	Schematics	No.	Switch 5	No.	Schematics
1	ON DIP 1 2 3 4 5 6	9	ON DIP 1 2 3 4 5 6	17	ON DIP 1 2 3 4 5 6	25	ON DIP 1 2 3 4 5 6
2	ON DIP 1 2 3 4 5 6	10	ON DIP 1 2 3 4 5 6	18	ON DIP 1 2 3 4 5 6	26	ON DIP 1 2 3 4 5 6
3	ON DIP 1 2 3 4 5 6	11	ON DIP 1 2 3 4 5 6	19	ON DIP 1 2 3 4 5 6	27	ON DIP 1 2 3 4 5 6
4	ON DIP 1 2 3 4 5 6	12	ON DIP 1 2 3 4 5 6	20	ON DIP 1 2 3 4 5 6	28	ON DIP 1 2 3 4 5 6

	DIP Switch configuration of Extension Module						
No.	Schematics	No.	Schematics	No.	Switch 5	No.	Schematics
5	ON DIP 1 2 3 4 5 6	13	ON DIP 1 2 3 4 5 6	21	ON DIP 1 2 3 4 5 6	29	ON DIP 1 2 3 4 5 6
6	ON DIP 1 2 3 4 5 6	14	ON DIP 1 2 3 4 5 6	22	ON DIP 1 2 3 4 5 6	30	ON DIP 1 2 3 4 5 6
7	ON DIP 1 2 3 4 5 6	15	ON DIP 1 2 3 4 5 6	23	ON DIP 1 2 3 4 5 6	31	ON DIP 1 2 3 4 5 6
8	ON DIP 1 2 3 4 5 6	16	ON DIP 1 2 3 4 5 6	24	ON DIP 1 2 3 4 5 6		

Note



The same address of extension module must be set respectively in the application program of the controller. 0 cannot be set as the slave address.

Ordering data

Extension module 8 I/Os

POL945.00/STD

Accessories (available on request)

Connector set (spring cage, cable top entry)

POL094.56/STD

- 2 x Phoenix FKCT 2,5/3-ST GY7035
- 1 x Phoenix FKCT 2,5/7-ST GY7035
- 1 x Phoenix ZEC 1,0 / 4-LPV-3,5 GY35AUC2CI1

Connector set (spring cage, cable side entry)

- 2 x Phoenix FKCVW 2,5/3-ST GY7035
- 1 x Phoenix FKCVW 2,5/7-ST GY7035
- 1 x Phoenix ZEC 1,0 / 4-LPV-3,5 GY35AUC2CI1

Connector set (screw, cable side entry)

POL094.55/STD

- 2 x Phoenix MVSTBW 2,5/3-ST GY7035
- 1 x Phoenix MVSTBW 2,5/7-ST GY7035
- 1 x Phoenix ZEC 1,0 / 4-LPV-3,5 GY35AUC2CI1

Board-to-wire connector

POL002.43/STD

2 x Phoenix ZEC 1,0 / 4-ST-3,5 GY35AUC1R1,4 50 pcs


Engineering notes




Warning

To ensure protection against accidental contact with relay connections carrying voltages above 42 V_{eff} , the extension module must be installed in an enclosure (preferably a control panel). It must be impossible to open the enclosure without the aid of a key or tool.

AC 230 V cables must be double-insulated against safety extra low-voltage (SELV) cables.





Published by:
Siemens Switzerland Ltd.
Building Technologies Division
International Headquarters
Gubelstrasse 22
6301 Zug
Switzerland
Tel. +41 41-724 24 24
www.siemens.com/buildingtechnologies

© Siemens Switzerland Ltd 2009 Delivery and technical specifications subject to change